## **AUTHOR INDEX TO VOLUME 142**

| Abbate, S., see L. Ricard-Lespade  | 142 (1990) 245 |
|--|----------------|
| Albert, I.D.L., see S. Ramasesha   | 142 (1990) 395 |
| Allnatt, A.R., see A.K. Dham   | 142 (1990) 173 |
| Aquilanti, V., R. Candori, F. Pirani, T. Krümpelmann and Ch. Ottinger, On the interac-   |                |
| tion potentials for the electronic energy transfer reactions   |                |
| $Xe({}^{3}P_{0,2}) + N_{2}(X) \rightarrow Xe({}^{1}S_{0}) + N_{2}(B^{3}\Pi_{g})$   | 142 (1990) 47  |
| Aziz, R.A., see A.K. Dham  | 142 (1990) 173 |
| Azumi, T., see S. Takahashi  | 142 (1990) 69  |
| Bagryanskaya, E.G., see Yu.P. Tsentalovich   | 142 (1990) 75  |
| Batova, E.E., see P.P. Levin   | 142 (1990) 279 |
| Bäumler, W. and A. Penzkofer, Accumulation of DODCI P isomers by laser excitation  | 142 (1990) 431 |
| Bazhin, N.M., see S.V. Camyshan  | 142 (1990) 59  |
| Becker, A.C., see R. Böhling   | 142 (1990) 445 |
| Beidoun, A., see A.V. Deshpande  | 142 (1990) 123 |
| Besnard, M., see N. Del Campo  | 142 (1990) 91  |
| Blinc, R., see J. Seliger  | 142 (1990) 237 |
| Böhling, R., A.C. Becker, B.F. Minaev, K. Seranski and U. Schurath, Excitation of O <sub>2</sub> (a <sup>1</sup> Δ <sub>p</sub> ,                                    |                |
| $b^{1}\Sigma_{g}^{+}$ ) and $I(^{2}P_{1/2})$ by energy transfer from $I_{2}(A, A'^{3}\Pi_{1,2u})$ in solid rare gases  | 142 (1990) 445 |
| Bourguignon, B., see J. Rostas   | 142 (1990) 97  |
| Bourguignon, B., see N. Shafizadeh   | 142 (1990) 111 |
| Brodovitch, JC., see D. Yu   | 142 (1990) 229 |
| Calvo Hernández, A., see S. Velasco  | 142 (1990) 361 |
| Camyshan, S.V., N.P. Gritsan, V.V. Korolev and N.M. Bazhin, Quenching of the lumi-   |                |
| nescence of organic compounds by oxygen in glassy matrices   | 142 (1990) 59  |
| Candori, R., see V. Aquilanti  | 142 (1990) 47  |
| Corvaja, C., B. Kozankiewicz, L. Montanari and J. Prochorow, Time-resolved optical emission and EPR of the diphenylacetylene tetracyanobenzene crystal doped with t- |                |
| stilbene   | 142 (1990) 83  |
| Cossart-Magos, C., see F. Morlet-Savary  | 142 (1990) 219 |
| Cox, S.F.J., see D. Yu   | 142 (1990) 229 |
| Davis, H.T., see SH. Suh   | 142 (1990) 203 |
| Del Campo, N., M. Besnard and J. Yarwood, Evidence for the breakdown of the point  |                |
| multipole approximation from far-infrared studies on liquid fluorinated benzenes   | 142 (1990) 91  |
| Delhalle, J., see M. Raynaud   | 142 (1990) 191 |
| Deshpande, A.V., A. Beidoun, A. Penzkofer and G. Wagenblast, Absorption and emission   | ,              |
| spectroscopic investigation of cyanovinyldiethylaniline dye vapors   | 142 (1990) 123 |
| Dezarnaud, C., M. Tronc and A.P. Hitchcock, Inner shell spectroscopy of the carbon-sul-  | ,              |
| fur bond   | 142 (1990) 455 |

| Dham, A.K., W.J. Meath, A.R. Allnatt, R.A. Aziz and M.J. Slaman, XC and HFD-B po-                            |                |
|--|----------------|
| tential energy curves for Xe-Xe and related physical properties  | 142 (1990) 173 |
| Dimicoli, I., see J.E. Parkin  | 142 (1990) 213 |
| Dimicoli, I., see F. Morlet-Savary   | 142 (1990) 219 |
| Dinse, K.P., see T. Prisner  | 142 (1990) 413 |
| Dmitrieva, I.K., S.K. Pogrebnya and P.I. Porshnev, V-T and V-V rate constants for en-                        |                |
| ergy transfer in diatomics. An accurate analytical approximation   | 142 (1990) 25  |
| Durig, J.R., see P. Groner   | 142 (1990) 381 |
| Effenhauser, C.S., P. Felder and J.R. Huber, Two-photon dissociation of sulfur dioxide at                    |                |
| 248 and 308 nm   | 142 (1990) 311 |
| Ellinger, Y., see M. Raynaud   | 142 (1990) 191 |
| Farantos, S.C. and M. Founargiotakis, Wave packet dynamics and phase space structure                         |                |
| of HCN molecule  | 142 (1990) 345 |
| Felder, P., see C.S. Effenhauser   | 142 (1990) 311 |
| Founargiotakis, M., see S.C. Farantos  | 142 (1990) 345 |
| Toulargiotakis, 141., see S.C. I arantos   | 142 (1770) 343 |
| Girardeau, M.D., see H. Kupka  | 142 (1990) 403 |
| Gorodyskii. A.V., see A.I. Karasevskii   | 142 (1990) 1   |
| Grishin, Yu.A., see Yu.P. Tsentalovich   | 142 (1990) 75  |
| Gritsan, N.P., see S.V. Camyshan   | 142 (1990) 59  |
| Groner, P., C.L. Tolley and J.R. Durig, A microwave and ab initio structure determination                    |                |
| of methyl chloroformate  | 142 (1990) 381 |
| Gustav, K. and M. Storch, Theoretical contribution to radiative and non-radiative singlet-                   |                |
| state deactivations of biphenylene   | 142 (1990) 17  |
| Haberlandt, H. and G. Pacchioni, Pseudopotential MRD CI calculations of nickel-con-                          |                |
| taining molecules. III. NiSiH <sub>3</sub> and NiAlH <sub>3</sub> as minimum models of metal-support systems | 142 (1990) 369 |
| Hadjoudis, E., see J. Seliger  | 142 (1990) 237 |
| Harris, J.M., see X.R. Zhu   | 142 (1990) 301 |
| Hayes, M.A., see D.M.P. Holland  | 142 (1990) 291 |
| Hennico, G., see M. Raynaud  | 142 (1990) 191 |
| Hitchcock, A.P., see C. Dezarnaud  | 142 (1990) 455 |
| Holland, D.M.P., M.A. MacDonald and M.A. Hayes, A photoelectron study of the inner                           |                |
| valence molecular orbitals of N <sub>2</sub> O   | 142 (1990) 291 |
| Huber, J.R., see C.S. Effenhauser  | 142 (1990) 311 |
| Ikawa, S., see A. Sugitani   | 142 (1990) 423 |
| Ivanov, C.I., see H. Kupka   | 142 (1990) 403 |
|  | 1.2 (1990) 100 |
| Karasevskii, A.I., D.V. Matjushov and A.V. Gorodyskii, Electron transfer in media with                       |                |
| local fluctuations   | 142 (1990) 1   |
| Kiefl, R.F., see D. Yu   | 142 (1990) 229 |
| Konaka, S., see A. Sugitani  | 142 (1990) 423 |
| Korolev, V.V., see S.V. Camyshan   | 142 (1990) 59  |
| Kozankiewicz, B., see C. Corvaja   | 142 (1990) 83  |

| Krümpelmann, T., see V. Aquilanti   | 142 (1990) 47  |
|---|--|
| Kupka, H., M.D. Girardeau, C.I. Ivanov and O.E. Po  | , , ,  |
| scattering-mode transformation  | 142 (1990) 403   |
| Le Calvé, J., see F. Morlet-Savary  | 142 (1990) 219   |
| Le Floch, A., J. Rostas and F. Rostas, Lifetimes of the CO  | A <sup>1</sup> Π and low-lying triplet states of<br>142 (1990) 261 |
| Lenzi, M., E. Molinari, G. Piciacchia, V. Sessa and M.  | L. Terranova, A kinetic study of in-                               |
| frared multiple photon absorption in SF <sub>6</sub> during a   | TEA CO <sub>2</sub> laser pulse 142 (1990) 463                     |
| Lenzi, M., E. Molinari, G. Piciacchia, V. Sessa and M.  | L. Terranova, A kinetic study of in-                               |
| frared multiple photon absorption in SF <sub>6</sub> -noble gas   | s mixtures during a TEA CO <sub>2</sub> laser                      |
| pulse. Evaluation of V-T relaxation rates   | 142 (1990) 473   |
| Leung, SK., see D. Yu   | 142 (1990) 229   |
| Levin, P.P., E.E. Batova and V.Ya. Shafirovich, Magne   | tic field effect on the recombination                              |
| of the triplet radical ion pair state of the semirigid  |  |
| Lin, Z., T. Slee and D.M.P. Mingos, A structural jellium  | model of cluster electronic structure 142 (1990) 321               |
| Loesch, H.J., see M. Velegrakis   | 142 (1990) 133   |
| Longhi, G., see L. Ricard-Lespade   | 142 (1990) 245   |
| MacDonald, M.A., see D.M.P. Holland   | 142 (1990) 291   |
| Macdonald, R.G. and F.C. Sopchyshyn, Laser photoly  | sis at 694.3 nm of highly excited vi-                              |
| brational levels of Ar <sub>2</sub> ( ${}^{3}\Sigma_{\mu}^{+}$ ). I. Kinetics of Ar <sub>2</sub> ( ${}^{3}\Sigma$ |  |
| Macdonald, R.G. and F.C. Sopchyshyn, Laser photoly  |  |
| brational levels of $Ar_2(^3\Sigma_u^+)$ . II. The kinetics of A  |  |
| Matjushov, D.V., see A.I. Karasevskii   | 142 (1990) 1   |
| Meath, W.J., see A.K. Dham  | 142 (1990) 173   |
| Mier-y-Teran, L., see SH. Suh   | 142 (1990) 203   |
| Milia, F., see J. Seliger   | 142 (1990) 237   |
| Minaev, B.F., see R. Böhling  | 142 (1990) 445   |
| Mingos, D.M.P., see Z. Lin  | 142 (1990) 321   |
| Molinari, E., see M. Lenzi  | 142 (1990) 463   |
| Molinari, E., see M. Lenzi  | 142 (1990) 473   |
| Mons, M., see F. Morlet-Savary  | 142 (1990) 219   |
| Montanari, L., see C. Corvaja   | 142 (1990) 83  |
| Morlet-Savary, F., see J.E. Parkin  | 142 (1990) 213   |
| Morlet-Savary, F., C. Cossart-Magos, I. Dimicoli, J. L  | , ,  |
| tational band contour analysis in the $\widetilde{B} \leftarrow \widetilde{X}$ system                             |  |
| resonance enhanced multiphoton ionization   | 142 (1990) 219   |
| Najbar, J. and A.M. Turek, Populations of the excited   | states and the radical transients nro-                             |
| duced in the electron transfer reactions in liquid s  |  |
| duced in the electron transfer reactions in riquid s  | olutions 142 (1990) 33   |
| Obynochny, A.A., see Yu.P. Tsentalovich   | 142 (1990) 75  |
| Orczyk, M.E., Determination of a complete diele   | ctric tensor of polymerizable pTS                                  |
| diacetylene   | 142 (1990) 485   |
| Ottinger, Ch., see V. Aquilanti   | 142 (1990) 47  |
|   |  |

| Pacchioni, G., see H. Haberlandt   | 142 (1990) 369 |
|--|----------------|
| Parkin, J.E., F. Morlet-Savary and I. Dimicoli, Rotational band contours from non-equi-  |                |
| librium energy distributions: application to chlorobenzene and chlorobenzene cation  | 142 (1990) 213 |
| Pei, X., see L. Wang   | 142 (1990) 335 |
| Penzkofer, A., see A.V. Deshpande  | 142 (1990) 123 |
| Penzkofer, A., see W. Bäumler  | 142 (1990) 431 |
| Percival, P.W., see D. Yu  | 142 (1990) 229 |
| Piciacchia, G., see M. Lenzi   | 142 (1990) 463 |
| Piciacchia, G., see M. Lenzi   | 142 (1990) 473 |
| Pirani, F., see V. Aquilanti   | 142 (1990) 47  |
| Piuzzi, F., see F. Morlet-Savary   | 142 (1990) 219 |
| Pogrebnya, S.K., see I.K. Dmitrieva  | 142 (1990) 25  |
| Polansky, O.E., see H. Kupka   | 142 (1990) 403 |
| Porshnev, P.I., see I.K. Dmitrieva   | 142 (1990) 25  |
| Prisant, M.G., see J. Rostas   | 142 (1990) 97  |
| Prisant, M.G., see N. Shafizadeh   | 142 (1990) 111 |
| Prisner, T. and K.P. Dinse, Determination of the deuteron quadrupole coupling tensor in<br>the photo-excited triplet state of dibromobenzophenone by electron spin echo envelope |                |
| modulation   | 142 (1990) 413 |
| Prochorow, J., see C. Corvaja  | 142 (1990) 83  |
| Pyżuk, W., Breakdown of the Landau theory in isotropic nematogens as observed by the   | e              |
| nonlinear dielectric effect method   | 142 (1990) 495 |
| Ramasesha, S. and I.D.L. Albert, Sudden polarization in interacting model $\pi$ systems: an  | n              |
| exact study  | 142 (1990) 395 |
| Raynaud, M., C. Reynaud, Y. Ellinger, G. Hennico and J. Delhalle, High electric field et   | -              |
| fects on the acrylonitrile molecule: an ab initio study  | 142 (1990) 191 |
| Reynaud, C., see M. Raynaud  | 142 (1990) 191 |
| Ricard-Lespade, L., G. Longhi and S. Abbate, The first overtone of CH stretchings in polymethylene chains: a conformationally dependent spectrum                                 |                |
|  | 142 (1990) 245 |
| Rostas, F., see A. Le Floch  Rostas, I. N. Shefinadah, C. Taiah, B. Bauranianan and M.C. Brigant, The AZII, YZN  | 142 (1990) 261 |
| Rostas, J., N. Shafizadeh, G. Taieb, B. Bourguignon and M.G. Prisant, The $A^2\Pi - X^2\Sigma$   |                |
| system of MgCl. Evidence for predissociation in the A <sup>2</sup> Π state of MgCl   | 142 (1990) 97  |
| Rostas, J., see N. Shafizadeh  | 142 (1990) 111 |
| Rostas, J., see A. Le Floch  | 142 (1990) 261 |
| Roth, HK., see Yu.P. Tsentalovich  | 142 (1990) 75  |
| Sagdeev, R.Z., see Yu.P. Tsentalovich  | 142 (1990) 75  |
| Schurath, U., see R. Böhling   | 142 (1990) 445 |
| Seliger, J., V. Zagar, R. Blinc, E. Hadjoudis and F. Milia, 1H-14N and 1H-17O nuclei   |                |
| quadrupole resonance in thermochromic N-5-chlorosalicylideneaniline  | 142 (1990) 237 |
| Seranski, K., see R. Böhling   | 142 (1990) 445 |
| Sessa, V., see M. Lenzi  | 142 (1990) 463 |
| Sessa, V., see M. Lenzi  | 142 (1990) 473 |
| Shafirovich, V.Ya., see P.P. Levin   | 142 (1990) 279 |
| Shafizadeh, N., see J. Rostas  | 142 (1990) 97  |
|  | (1),0)         |

| Shafizadeh, N., J. Rostas, G. Taieb, B. Bourguignon and M.G. Prisant, Population dist bution of MgCl formed from Mg+R-Cl reactions. Determination of the dissociation |                |
|---|----------------|
| energy of MgCl  | 142 (1990) 111 |
| Slaman, M.J., see A.K. Dham   | 142 (1990) 173 |
| Slee, T., see Z. Lin  | 142 (1990) 321 |
| Sopchyshyn, F.C., see R.G. Macdonald  | 142 (1990) 139 |
| Sopchyshyn, F.C., see R.G. Macdonald  | 142 (1990) 153 |
| Storch, M., see K. Gustav   | 142 (1990) 17  |
| Sugitani, A., S. Ikawa and S. Konaka, Effect of temperature on the infrared band shap   | oes            |
| and reorientational and vibrational relaxation of liquid acetonitrile   | 142 (1990) 423 |
| Suh, SH., L. Mier-y-Teran, H.S. White and H.T. Davis, Molecular dynamics study of   | the            |
| primitive model of 1-3 electrolyte solutions  | 142 (1990) 203 |
| Sun, Z., see L. Wang  | 142 (1990) 335 |
| Taieb, G., see J. Rostas  | 142 (1990) 97  |
| Taieb, G., see N. Shafizadeh  | 142 (1990) 111 |
| Takahashi, S., M. Terazima and T. Azumi, Temperature dependence of the enhancement  | ent            |
| factor of CIDNP created by the photolysis of benzoyl peroxide   | 142 (1990) 69  |
| Terazima, M., see S. Takahashi  | 142 (1990) 69  |
| Terranova, M.L., see M. Lenzi   | 142 (1990) 463 |
| Terranova, M.L., see M. Lenzi   | 142 (1990) 473 |
| Tolley, C.L., see P. Groner   | 142 (1990) 381 |
| Tronc, M., see C. Dezarnaud   | 142 (1990) 455 |
| Tsentalovich, Yu.P., E.G. Bagryanskaya, Yu.A. Grishin, A.A. Obynochny, R.Z. Sagd and HK. Roth, Medium influence on the mechanism of the photoreaction of anth         |                |
| quinone with triethylamine  | 142 (1990) 75  |
| Turek, A.M., see J. Najbar  | 142 (1990) 35  |
| Velasco, S., J.A. White and A. Calvo Hernández, Memory effects on the rotational re-  | lax-           |
| ation of diatomic polar molecules in non-polar liquids  | 142 (1990) 361 |
| Velegrakis, M. and H.J. Loesch, An improved potential for Xe+HCl from rainly  |                |
| scattering  | 142 (1990) 133 |
| Venkateswaran, K., see D. Yu  | 142 (1990) 229 |
| Wagenblast, G., see A.V. Deshpande  | 142 (1990) 123 |
| Wang, L., Z. Sun, X. Pei and Y. Zhu, Liquid crystals of bowl-like molecules   | 142 (1990) 335 |
| White, H.S., see SH. Suh  | 142 (1990) 203 |
| White, J.A., see S. Velasco   | 142 (1990) 361 |
| Yarwood, J., see N. Del Campo   | 142 (1990) 91  |
| Yu, D., P.W. Percival, JC. Brodovitch, SK. Leung, R.F. Kiefl, K. Venkateswaran<br>S.F.J. Cox, Structure and intramolecular motion of muonium-substituted cycloh       |                |
| dienyl radicals   | 142 (1990) 229 |
| Zagar, V., see J. Seliger   | 142 (1990) 237 |
| Zhu, X.R. and J.M. Harris, Studies of excited-state absorption and photoisomerization   | on of          |
| cyanine dyes by using laser-induced anharmonic thermal gratings   | 142 (1990) 301 |
| Zhu, Y., see L. Wang  | 142 (1990) 335 |

#### LIST OF SUBJECTS

#### 1 METHODS

| 1.1 | Theoretica |  |
|-----|------------|--|
|     |            |  |
|     |            |  |

- 1.1.1 Group theory and algebras
- 1.1.2 Classical mechanics \*
- Quantized field theory \* 1.1.3
- 1.1.4 Many body and quasiparticle approaches
- 1.1.5 Coupling schemes and perturbative treatments \*
- 1.1.6 Relativistic quantum mechanics
- 1.1.7 Transport quantum mechanics \*
- Equilibrium statistical mechanics 1.1.8
- 1.1.9 Statistical mechanics of stationary states
- 1.1.10 Non-equilibrium thermodynamic and hydrodynamic theories
- Ab initio schemes for stationary properties \* 1.1.11
- 1.1.12 Computational and simulation methods \*
- 1.1.13 Molecular dynamics and scattering theory \*

#### 1.2 Experimental

- 1.2.1 Magnetic resonances \*
- 1.2.2 Cyclotron resonance
- 1.2.3 Microwave spectroscopy \*
- 1.2.4 Infrared spectroscopy
- 1.2.5 Raman spectroscopy
- 1.2.6 Visible and UV spectroscopy \* 1.2.7
- Fluorescence spectroscopy \*
- 1.2.8 Photoelectron and Auger spectroscopy \*
- 1.2.9 X-ray spectroscopy \*
- 1.2.10 Electron impact spectroscopy \*
- 1.2.11 Laser methods \*
- 1.2.12 Picosecond spectroscopy
- 1.2.13 Non-linear optical spectroscopy \*
- 1.2.14 Synchrotron spectroscopies \*
- 1.2.15 Coherent optical spectroscopy
- 1.2.16 Optical pumping
- 1.2.17 Multiple resonance spectroscopy \*
- 1.2.18 Optoacoustic spectroscopy \*
- 1.2.19 Atomic and molecular beam techniques \*
- 1.2.20 Time-resolved experiments \*
- 1.2.21 Mass spectrometry \*
- 1.2.22 Radiolysis \*
- 1.2.23 Mössbauer spectroscopy
- 1.2.24 X-ray, electron and neutron diffraction \*
- 1.2.25 Neutron scattering
- 1.2.26 Light scattering
- 1.2.27 Field emission and field ionization
- 1.2.28 Measurement of macroscopic variables \*

#### 2 OBJECTS

#### 2.1 Bulk systems

- 2.1.1 Gases \*
- 2.1.2 Supersonic beams
- 2.1.3 Liquids neat \*
- 2.1.4 Liquid mixtures and solutions \*
- 2.1.5 Crystals \*
- neat \* 2.1.5.1
- mixed 2.1.5.2
- 2.1.6 Glasses \*
- 2.1.7 Liquid crystals \*
- 2.1.8 Polymers \*
- 2.1.9 Semiconductors
- 2.1.10 Metals and alloys
- 2.1.11 Thin films
- 2.1.12 Surfaces
- 2.1.13 Low-dimensional materials
- 2.1.14 Dielectrics \*
- 2.1.15 Plasmas
- 2.1.16 Biological systems

### 2.2 Microscopic systems

- 2.2.1 Atoms \*
- 2.2.2 Molecules (neutral and ionic) \*
- 2.2.2.1 diatomic \*
- 2.2.2.2 small polyatomics \*
- 2.2.2.3 aromatics \*
- 2.2.2.4 other large \*
- 2225 polymeric and biological \*
- 2.2.3 Molecular aggregates \*
- 2.2.3.1 dimers
- 2.2.3.2 van der Waals molecules \*
- clusters \* 2.2.3.3
- 2.2.3.4 complexes
- Free radicals (including hydronium and muonium) \* 2.2.4
- 2.2.5 Quasiparticles (including excitons)
- 2.2.6 Defects and impurities \*
- 2.2.7 Ions and charge carriers \*

<sup>\*</sup> Denotes subjects covered in this volume

### 3 PHENOMENA

3.14

3.15

Coherence loss processes

Non-linear responses (including optical) \*

|        |  | 3.17   |
|--------|--|--------|
| 3.1    | Molecular structure *                        | 3.17.1 |
| 3.2    | Vibrations and rotations of molecules *      | 3.17.2 |
| 3.3    | Electronic structure and states *            | 3.17.3 |
| 3.4    | Electric and magnetic properties *           | 3.18   |
| 3.5    | Spin splittings                              | 3.19   |
| 3.6    | Optical activity                             | 3.20   |
| 3.7    | Molecular interactions *                     | 3.21   |
| 3.8    | Spectral bandshapes and intensities *        | 3.22   |
| 3.9    | Coupling of electronic and nuclear motion *  | 3.23   |
| 3.10   | Energy transfer processes *                  | 3.24   |
| 3.11   | Molecular photophysical processes *          | 3.25   |
| 3.12   | Intramolecular dynamics *                    | 3.26   |
| 3.12.1 | radiationless transitions *                  | 3.27   |
| 3.12.2 | vibrational energy redistribution (including | 3.28   |
|        | vibrational dissociation) *                  | 3.29   |
| 3.13   | Luminescence spectra, yields and lifetimes * | 3.30   |
|        |  |        |

| 3.16   | Multiphoton phenomena *                  |
|--------|--|
| 3.17   | Reactions (including dissociation) *     |
| 3.17.1 | gas phase *                              |
| 3.17.2 | condensed phase                          |
| 3.17.3 | photochemical *                          |
| 3.18   | Tunnelling                               |
| 3.19   | Electron transfer *                      |
| 3.20   | Positron annihilation                    |
| 3.21   | Ionization (including Rydberg states) *  |
| 3.22   | Molecular motion (including diffusive) * |
| 3.23   | Isotopic effects *                       |
| 3.24   | Fluctuations and noise *                 |
| 3.25   | Collective motion and excitations *      |
| 3.26   | Surface effects and catalysis            |
| 3.27   | Thermodynamic and transport properties * |
| 3.28   | Structure of solids and liquids          |
| 3.29   | Critical phenomena *                     |
|        |  |

Phase transitions \*

## **SUBJECT INDEX TO VOLUME 142**

# **METHODS**

### Theoretical

| Classical mechanics   |              |     |
|---|--------------|-----|
| Wave packet dynamics and phase space structure of HCN molecule, S.C. Farantos and M. Founargiotakis   | 142 (1990) 3 | 345 |
| Quantized field theory  |              |     |
| Electron transfer in media with local fluctuations, A.I. Karasevskii, D.V. Matjushov and A.V. Gorodyskii  | 142 (1990)   | 1   |
| Coupling schemes and perturbative treatments  |              |     |
| Theoretical contribution to radiative and non-radiative singlet-state deactivations of bi-<br>phenylene, K. Gustav and M. Storch  | 142 (1990)   | 17  |
| Memory effects on the rotational relaxation of diatomic polar molecules in non-polar liq-<br>uids, S. Velasco, J.A. White and A. Calvo Hernández  | 142 (1990) 3 | 361 |
| Transport quantum mechanics   |              |     |
| V-T and V-V rate constants for energy transfer in diatomics. An accurate analytical approximation, I.K. Dmitrieva, S.K. Pogrebnya and P.I. Porshnev   | 142 (1990)   | 25  |
| Memory effects on the rotational relaxation of diatomic polar molecules in non-polar liq-<br>uids, S. Velasco, J.A. White and A. Calvo Hernández  | 142 (1990) 3 | 361 |
| Ab initio schemes for stationary properties   |              |     |
| XC and HFD-B potential energy curves for Xe-Xe and related physical properties,   |              |     |
| A.K. Dham, W.J. Meath, A.R. Allnatt, R.A. Aziz and M.J. Slaman  | 142 (1990)   | 173 |
| High electric field effects on the acrylonitrile molecule: an ab initio study, M. Raynaud,  | 1.12 (1000)  | 101 |
| C. Reynaud, Y. Ellinger, G. Hennico and J. Delhalle   | 142 (1990)   | 191 |
| Pseudopotential MRD CI calculations of nickel-containing molecules. III. NiSiH <sub>3</sub> and NiAlH <sub>3</sub> as minimum models of metal-support systems, H. Haberlandt and G. Pacchioni | 142 (1990)   | 369 |
| Computational and simulation methods  |              |     |
| Populations of the excited states and the radical transients produced in the electron transfer reactions in liquid solutions, J. Najbar and A.M. Turek  | 142 (1990)   | 35  |
| On the interaction potentials for the electronic energy transfer reactions $Xe(^3P_{0,2})+N_2(X)\rightarrow Xe(^1S_0)+N_2(B^3\Pi_g)$ , V. Aquilanti, R. Candori, F. Pirani,                   |              |     |
| T. Krümpelmann and Ch. Ottinger   | 142 (1990)   | 47  |
| Quenching of the luminescence of organic compounds by oxygen in glassy matrices, S.V. Camyshan, N.P. Gritsan, V.V. Korolev and N.M. Bazhin  | 142 (1990)   | 59  |

| Rotational band contours from non-equilibrium energy distributions: application to chlo-  |                |
|---|----------------|
| robenzene and chlorobenzene cation, J.E. Parkin, F. Morlet-Savary and I. Dimicoli Wave packet dynamics and phase space structure of HCN molecule, S.C. Farantos and | 142 (1990) 213 |
| M. Founargiotakis   | 142 (1990) 345 |
| A microwave and ab initio structure determination of methyl chloroformate, P. Groner, C.L. Tolley and J.R. Durig  | 142 (1990) 381 |
| Sudden polarization in interacting model $\pi$ systems: an exact study, S. Ramasesha and  |                |
| I.D.L. Albert   | 142 (1990) 395 |
| Molecular dynamics and scattering theory  |                |
| V-T and V-V rate constants for energy transfer in diatomics. An accurate analytical ap-   |                |
| proximation, I.K. Dmitrieva, S.K. Pogrebnya and P.I. Porshnev   | 142 (1990) 25  |
| Molecular dynamics study of the primitive model of 1–3 electrolyte solutions, SH. Suh,  | 1.2 (1370) 20  |
| L. Mier-y-Teran, H.S. White and H.T. Davis  | 142 (1990) 203 |
| Wave packet dynamics and phase space structure of HCN molecule, S.C. Farantos and   | ()             |
| M. Founargiotakis   | 142 (1990) 345 |
| Nonlinear normal-mode-scattering-mode transformation, H. Kupka, M.D. Girardeau,   | ,              |
| C.I. Ivanov and O.E. Polansky   | 142 (1990) 403 |
|   |                |
| Experimental  |                |
| Magnetic resonances   |                |
| Temperature dependence of the enhancement factor of CIDNP created by the photolysis   |                |
| of benzoyl peroxide, S. Takahashi, M. Terazima and T. Azumi   | 142 (1990) 69  |
| Medium influence on the mechanism of the photoreaction of anthraquinone with tri-   |                |
| ethylamine, Yu.P. Tsentalovich, E.G. Bagryanskaya, Yu.A. Grishin, A.A. Obynochny,   |                |
| R.Z. Sagdeev and HK. Roth   | 142 (1990) 75  |
| Time-resolved optical emission and EPR of the diphenylacetylene tetracyanobenzene crys-   |                |
| tal doped with t-stilbene, C. Corvaja, B. Kozankiewicz, L. Montanari and J. Prochorow   | 142 (1990) 83  |
| Structure and intramolecular motion of muonium-substituted cyclohexadienyl radicals,  |                |
| D. Yu, P.W. Percival, JC. Brodovitch, SK. Leung, R.F. Kiefl, K. Venkateswaran and   |                |
| S.F.J. Cox  | 142 (1990) 229 |
| <sup>1</sup> H- <sup>14</sup> N and <sup>1</sup> H- <sup>17</sup> O nuclear quadrupole resonance in thermochromic N-5-chlorosalicyli-                               |                |
| deneaniline, J. Seliger, V. Zagar, R. Blinc, E. Hadjoudis and F. Milia  | 142 (1990) 237 |
| Determination of the deuteron quadrupole coupling tensor in the photo-excited triplet state   |                |
| of dibromobenzophenone by electron spin echo envelope modulation, T. Prisner and  |                |
| K.P. Dinse  | 142 (1990) 413 |
| Microwave spectroscopy  |                |
| A microwave and ab initio structure determination of methyl chloroformate, P. Groner,   |                |
| C.L. Tolley and J.R. Durig  | 142 (1990) 381 |
| Determination of the deuteron quadrupole coupling tensor in the photo-excited triplet state   |                |
| of dibromobenzophenone by electron spin echo envelope modulation, T. Prisner and  |                |
| K.P. Dinse  | 142 (1990) 413 |
| Infrared spectroscopy   |                |
| Evidence for the breakdown of the point multipole approximation from far-infrared stud-   |                |
| ies on liquid fluorinated benzenes, N. Del Campo, M. Besnard and J. Yarwood   | 142 (1990) 91  |
| and the first desiration of the policy of the policy and the policy of the word   | ( )            |

| The first overtone of CH stretchings in polymethylene chains: a conformationally dependent spectrum, L. Ricard-Lespade, G. Longhi and S. Abbate  | 142 (1990) 245 |
|--|----------------|
| Effect of temperature on the infrared band shapes and reorientational and vibrational re-  | 142 (1770) 245 |
| laxation of liquid acetonitrile, A. Sugitani, S. Ikawa and S. Konaka   | 142 (1990) 423 |
| Visible and UV spectroscopy  |                |
| On the interaction potentials for the electronic energy transfer reactions $Xe(^3P_{0,2})+N_2(X)\rightarrow Xe(^1S_0)+N_2(B^3\Pi_g)$ , V. Aquilanti, R. Candori, F. Pirani,  | 142 (1990) 47  |
| T. Krümpelmann and Ch. Ottinger The $A^2\Pi - X^2\Sigma^+$ system of MgCl. Evidence for predissociation in the $A^2\Pi$ state of MgCl,   |                |
| J. Rostas, N. Shafizadeh, G. Taieb, B. Bourguignon and M.G. Prisant<br>Population distribution of MgCl formed from Mg+R-Cl reactions. Determination of the<br>dissociation energy of MgCl, N. Shafizadeh, J. Rostas, G. Taieb, B. Bourguignon and  | 142 (1990) 97  |
| M.G. Prisant   | 142 (1990) 111 |
| Absorption and emission spectroscopic investigation of cyanovinyldiethylaniline dye vapors, A.V. Deshpande, A. Beidoun, A. Penzkofer and G. Wagenblast   | 142 (1990) 123 |
| Rotational band contours from non-equilibrium energy distributions: application to chlo-   |                |
| robenzene and chlorobenzene cation, J.E. Parkin, F. Morlet-Savary and I. Dimicoli Rotational band contour analysis in the $\widetilde{B} \leftarrow \widetilde{X}$ system of chlorobenzene cation prepared by resonance enhanced multiphoton ionization, F. Morlet-Savary, C. Cossart-Magos, | 142 (1990) 213 |
| I. Dimicoli, J. Le Calvé, M. Mons and F. Piuzzi  | 142 (1990) 219 |
| Lifetimes of the A <sup>1</sup> Π and low-lying triplet states of CO, A. Le Floch, J. Rostas and F. Rostas   | 142 (1990) 261 |
| Magnetic field effect on the recombination of the triplet radical ion pair state of the se-  |                |
| mirigid Zn-porphyrin-viologen dyad, P.P. Levin, E.E. Batova and V.Ya. Shafirovich  | 142 (1990) 279 |
| Accumulation of DODCI P isomers by laser excitation, W. Bäumler and A. Penzkofer   | 142 (1990) 431 |
| Fluorescence spectroscopy  |                |
| Theoretical contribution to radiative and non-radiative singlet-state deactivations of bi-   | 142 (1000) 17  |
| phenylene, K. Gustav and M. Storch   | 142 (1990) 17  |
| Time-resolved optical emission and EPR of the diphenylacetylene tetracyanobenzene crystal doped with t-stilbene, C. Corvaja, B. Kozankiewicz, L. Montanari and J. Prochorow  | 142 (1990) 83  |
| Absorption and emission spectroscopic investigation of cyanovinyldiethylaniline dye va-  |                |
| pors, A.V. Deshpande, A. Beidoun, A. Penzkofer and G. Wagenblast   | 142 (1990) 123 |
| Magnetic field effect on the recombination of the triplet radical ion pair state of the semirigid Zn-porphyrin-viologen dyad, P.P. Levin, E.E. Batova and V.Ya. Shafirovich  | 142 (1990) 279 |
| Excitation of $O_2(a^1\Delta_g, b^1\Sigma_g^+)$ and $I(^2P_{1/2})$ by energy transfer from $I_2(A, A'^3\Pi_{1,2u})$ in solid   | 142 (1990) 279 |
| rare gases, R. Böhling, A.C. Becker, B.F. Minaev, K. Seranski and U. Schurath  | 142 (1990) 445 |
| Photoelectron and Auger spectroscopy   |                |
| A photoelectron study of the inner valence molecular orbitals of N <sub>2</sub> O, D.M.P. Holland,   |                |
| M.A. MacDonald and M.A. Hayes  | 142 (1990) 291 |
| X-ray spectroscopy   |                |
| Inner shell spectroscopy of the carbon-sulfur bond, C. Dezarnaud, M. Tronc and A.P. Hitchcock  | 143 (1000) 455 |
| A.I. HILLIKOCK   | 142 (1990) 455 |

| Electron impact spectroscopy   |                |
|--|----------------|
| Inner shell spectroscopy of the carbon-sulfur bond, C. Dezarnaud, M. Tronc and A.P. Hitchcock  | 142 (1990) 455 |
| Laser methods  |                |
| Lifetimes of the A <sup>1</sup> II and low-lying triplet states of CO, A. Le Floch, J. Rostas and F. Rostas Magnetic field effect on the recombination of the triplet radical ion pair state of the se-    | 142 (1990) 261 |
| mirigid Zn-porphyrin-viologen dyad, P.P. Levin, E.E. Batova and V.Ya. Shafirovich A kinetic study of infrared multiple photon absorption in SF <sub>6</sub> during a TEA CO <sub>2</sub> laser pulse,      | 142 (1990) 279 |
| M. Lenzi, E. Molinari, G. Piciacchia, V. Sessa and M.L. Terranova  A kinetic study of infrared multiple photon absorption in SF <sub>6</sub> -noble gas mixtures during                                    | 142 (1990) 463 |
| a TEA CO <sub>2</sub> laser pulse. Evaluation of V-T relaxation rates, M. Lenzi, E. Molinari,  |                |
| G. Piciacchia, V. Sessa and M.L. Terranova   | 142 (1990) 473 |
| Non-linear optical spectroscopy  |                |
| Studies of excited-state absorption and photoisomerization of cyanine dyes by using laser-induced anharmonic thermal gratings, X.R. Zhu and J.M. Harris  | 142 (1990) 301 |
| Synchrotron spectroscopies   |                |
| A photoelectron study of the inner valence molecular orbitals of N <sub>2</sub> O, D.M.P. Holland, M.A. MacDonald and M.A. Hayes   | 142 (1990) 291 |
| Inner shell spectroscopy of the carbon-sulfur bond, C. Dezarnaud, M. Tronc and A.P. Hitchcock  | 142 (1990) 455 |
| Multiple resonance spectroscopy  |                |
| Rotational band contour analysis in the $\tilde{B} \leftarrow \tilde{X}$ system of chlorobenzene cation prepared by resonance enhanced multiphoton ionization, F. Morlet-Savary, C. Cossart-Magos,         |                |
| I. Dimicoli, J. Le Calvé, M. Mons and F. Piuzzi  | 142 (1990) 219 |
| <sup>1</sup> H- <sup>14</sup> N and <sup>1</sup> H- <sup>17</sup> O nuclear quadrupole resonance in thermochromic N-5-chlorosalicylideneaniline, J. Seliger, V. Zagar, R. Blinc, E. Hadjoudis and F. Milia | 142 (1990) 237 |
|  |                |
| Optoacoustic spectroscopy Studies of excited-state absorption and photoisomerization of cyanine dyes by using laser-   |                |
| induced anharmonic thermal gratings, X.R. Zhu and J.M. Harris  | 142 (1990) 301 |
| Atomic and molecular beam techniques   | 142 (1000) 122 |
| An improved potential for Xe+HCl from rainbow scattering, M. Velegrakis and H.J. Loesch Two-photon dissociation of sulfur dioxide at 248 and 308 nm, C.S. Effenhauser, P. Felder                           | 142 (1990) 133 |
| and J.R. Huber   | 142 (1990) 311 |
| Time-resolved experiments  |                |
| Populations of the excited states and the radical transients produced in the electron transfer reactions in liquid solutions, J. Najbar and A.M. Turek   | 142 (1990) 35  |
| Quenching of the luminescence of organic compounds by oxygen in glassy matrices,   | 142 (1770) 33  |
| S.V. Camyshan, N.P. Gritsan, V.V. Korolev and N.M. Bazhin  | 142 (1990) 59  |
| Time-resolved optical emission and EPR of the diphenylacetylene tetracyanobenzene crystal doped with t-stilbene, C. Corvaja, B. Kozankiewicz, L. Montanari and J. Prochorow                                | 142 (1990) 83  |
|  |                |

| Lifetimes of the A <sup>1</sup> Π and low-lying triplet states of CO, A. Le Floch, J. Rostas and F. Rostas   | 142 (1990) 261 |
|--|----------------|
| Magnetic field effect on the recombination of the triplet radical ion pair state of the se-  |                |
| mirigid Zn-porphyrin-viologen dyad, P.P. Levin, E.E. Batova and V.Ya. Shafirovich  | 142 (1990) 279 |
| Accumulation of DODCI P isomers by laser excitation, W. Bäumler and A. Penzkofer A kinetic study of infrared multiple photon absorption in SF <sub>6</sub> during a TEA CO <sub>2</sub> laser pulse,       | 142 (1990) 431 |
| M. Lenzi, E. Molinari, G. Piciacchia, V. Sessa and M.L. Terranova  | 142 (1990) 463 |
| A kinetic study of infrared multiple photon absorption in SF <sub>6</sub> -noble gas mixtures during   |                |
| a TEA CO <sub>2</sub> laser pulse. Evaluation of V-T relaxation rates, M. Lenzi, E. Molinari, G. Piciacchia, V. Sessa and M.L. Terranova   | 142 (1990) 473 |
| G. Ficiaccina, v. Sessa and M.L. Terranova   | 142 (1990) 4/3 |
| Mass spectrometry  |                |
| Rotational band contour analysis in the $\widetilde{B} \leftarrow \widetilde{X}$ system of chlorobenzene cation prepared by resonance enhanced multiphoton ionization, F. Morlet-Savary, C. Cossart-Magos, |                |
| I. Dimicoli, J. Le Calvé, M. Mons and F. Piuzzi  | 142 (1990) 219 |
|  | (,             |
| Radiolysis   |                |
| Laser photolysis at 694.3 nm of highly excited vibrational levels of $Ar_2(^3\Sigma_u^+)$ . I. Kinetics  |                |
| of $Ar_2(^3\Sigma_u^+)$ , R.G. Macdonald and F.C. Sopchyshyn   | 142 (1990) 139 |
| Laser photolysis at 694.3 nm of highly excited vibrational levels of $Ar_2(^3\Sigma_u^+)$ . II. The ki-  | 142 (1000) 153 |
| netics of Ar(3p <sup>5</sup> 4s) atomic states, R.G. Macdonald and F.C. Sopchyshyn   | 142 (1990) 153 |
| X-ray, electron and neutron diffraction  |                |
| Liquid crystals of bowl-like molecules, L. Wang, Z. Sun, X. Pei and Y. Zhu   | 142 (1990) 335 |
| M  |                |
| Measurement of macroscopic variables Liquid crystals of bowl-like molecules, L. Wang, Z. Sun, X. Pei and Y. Zhu  | 142 (1990) 335 |
| Determination of a complete dielectric tensor of polymerizable pTS diacetylene,  | 142 (1990) 333 |
| M.E. Orczyk  | 142 (1990) 485 |
| Breakdown of the Landau theory in isotropic nematogens as observed by the nonlinear  | - 12 () 100    |
| dielectric effect method, W. Pyżuk   | 142 (1990) 495 |
| OBJECTS  |                |
| Bulk systems   |                |
| Gases  |                |
| V-T and V-V rate constants for energy transfer in diatomics. An accurate analytical ap-  |                |
| proximation, I.K. Dmitrieva, S.K. Pogrebnya and P.I. Porshnev  | 142 (1990) 25  |
| The $A^2\Pi$ - $X^2\Sigma^+$ system of MgCl. Evidence for predissociation in the $A^2\Pi$ state of MgCl,   |                |
| J. Rostas, N. Shafizadeh, G. Taieb, B. Bourguignon and M.G. Prisant  | 142 (1990) 97  |
| Population distribution of MgCl formed from Mg+R-Cl reactions. Determination of the dissociation energy of MgCl, N. Shafizadeh, J. Rostas, G. Taieb, B. Bourguignon and                                    |                |
| M.G. Prisant   | 142 (1990) 111 |
| Laser photolysis at 694.3 nm of highly excited vibrational levels of $Ar_2(^3\Sigma_u^+)$ . I. Kinetics  |                |
| of $Ar_2(^3\Sigma_u^+)$ , R.G. Macdonald and F.C. Sopchyshyn   | 142 (1990) 139 |
| Laser photolysis at 694.3 nm of highly excited vibrational levels of $Ar_2(^3\Sigma_u^+)$ . II. The kinetics of $Ar_2(^3\Gamma_u^5)$ atomic states P.G. Meadonald and F.C. Spechyelyn                      | 142 (1000) 153 |
|  |                |

netics of Ar(3p<sup>5</sup>4s) atomic states, R.G. Macdonald and F.C. Sopchyshyn

142 (1990) 153

| XC and HFD-B potential energy curves for Xe-Xe and related physical properties,  |                 |
|--|-----------------|
| A.K. Dham, W.J. Meath, A.R. Allnatt, R.A. Aziz and M.J. Slaman   | 142 (1990) 173  |
| Rotational band contours from non-equilibrium energy distributions: application to chlo-   |                 |
| robenzene and chlorobenzene cation, J.E. Parkin, F. Morlet-Savary and I. Dimicoli  | 142 (1990) 213  |
| Rotational band contour analysis in the $\widetilde{B} \leftarrow \widetilde{X}$ system of chlorobenzene cation prepared by  |                 |
| resonance enhanced multiphoton ionization, F. Morlet-Savary, C. Cossart-Magos,   |                 |
| I. Dimicoli, J. Le Calvé, M. Mons and F. Piuzzi  | 142 (1990) 219  |
| A microwave and ab initio structure determination of methyl chloroformate, P. Groner,  |                 |
| C.L. Tolley and J.R. Durig   | 142 (1990) 381  |
| Liquids neat   |                 |
| Evidence for the breakdown of the point multipole approximation from far-infrared stud-  |                 |
| ies on liquid fluorinated benzenes, N. Del Campo, M. Besnard and J. Yarwood  | 142 (1990) 91   |
| The first overtone of CH stretchings in polymethylene chains: a conformationally depen-  |                 |
| dent spectrum, L. Ricard-Lespade, G. Longhi and S. Abbate  | 142 (1990) 245  |
| Effect of temperature on the infrared band shapes and reorientational and vibrational re-  |                 |
| laxation of liquid acetonitrile, A. Sugitani, S. Ikawa and S. Konaka   | 142 (1990) 423  |
| Timid minum, and advance   |                 |
| Liquid mixtures and solutions  Populations of the excited states and the radical transients produced in the electron trans-  |                 |
| fer reactions in liquid solutions, J. Najbar and A.M. Turek  | 142 (1990) 35   |
| Magnetic field effect on the recombination of the triplet radical ion pair state of the se-  | 142 (1990) 33   |
| mirigid Zn-porphyrin-viologen dyad, P.P. Levin, E.E. Batova and V.Ya. Shafirovich  | 142 (1990) 279  |
| Memory effects on the rotational relaxation of diatomic polar molecules in non-polar liq-  | 142 (1990) 279  |
| uids, S. Velasco, J.A. White and A. Calvo Hernández  | 142 (1990) 361  |
| and, or values, visit visits and in our of a visit vis | (1), (1), (1)   |
| Crystals   |                 |
| Time-resolved optical emission and EPR of the diphenylacetylene tetracyanobenzene crys-  |                 |
| tal doped with t-stilbene, C. Corvaja, B. Kozankiewicz, L. Montanari and J. Prochorow  | 142 (1990) 83   |
| <sup>1</sup> H- <sup>14</sup> N and <sup>1</sup> H- <sup>17</sup> O nuclear quadrupole resonance in thermochromic N-5-chlorosalicyli-  |                 |
| deneaniline, J. Seliger, V. Zagar, R. Blinc, E. Hadjoudis and F. Milia   | 142 (1990) 237  |
| Determination of a complete dielectric tensor of polymerizable pTS diacetylene,  | 1.40 (1000) 405 |
| M.E. Orczyk  | 142 (1990) 485  |
| -neat  |                 |
| The first overtone of CH stretchings in polymethylene chains: a conformationally depen-  |                 |
| dent spectrum, L. Ricard-Lespade, G. Longhi and S. Abbate  | 142 (1990) 245  |
| Glasses  |                 |
| Quenching of the luminescence of organic compounds by oxygen in glassy matrices,   |                 |
| S.V. Camyshan, N.P. Gritsan, V.V. Korolev and N.M. Bazhin  | 142 (1990) 59   |
| Liquid crystals  |                 |
| Liquid crystals of bowl-like molecules, L. Wang, Z. Sun, X. Pei and Y. Zhu   | 142 (1990) 335  |
| Breakdown of the Landau theory in isotropic nematogens as observed by the nonlinear  |                 |
| dielectric effect method, W. Pyżuk   | 142 (1990) 495  |
|  |                 |

| Polymers  |                |
|---|----------------|
| Sudden polarization in interacting model $\pi$ systems: an exact study, S. Ramasesha and  |                |
| I.D.L. Albert   | 142 (1990) 395 |
| Determination of a complete dielectric tensor of polymerizable pTS diacetylene,   |                |
| M.E. Orczyk   | 142 (1990) 485 |
| Dielectrics   |                |
| H-14N and <sup>1</sup> H-17O nuclear quadrupole resonance in thermochromic N-5-chlorosalicylideneaniline, J. Seliger, V. Zagar, R. Blinc, E. Hadjoudis and F. Milia     | 142 (1990) 237 |
| Microscopic systems   |                |
| Atoms   |                |
| Excitation of $O_2(a^1\Delta_g, b^1\Sigma_g^+)$ and $I(^2P_{1/2})$ by energy transfer from $I_2(A, A'^3\Pi_{1,2u})$ in solid  |                |
| rare gases, R. Böhling, A.C. Becker, B.F. Minaev, K. Seranski and U. Schurath   | 142 (1990) 445 |
| Molecules (neutral and ionic)   |                |
| Quenching of the luminescence of organic compounds by oxygen in glassy matrices,  |                |
| S.V. Camyshan, N.P. Gritsan, V.V. Korolev and N.M. Bazhin   | 142 (1990) 59  |
| XC and HFD-B potential energy curves for Xe-Xe and related physical properties,   |                |
| A.K. Dham, W.J. Meath, A.R. Allnatt, R.A. Aziz and M.J. Slaman  A microwave and ab initio structure determination of methyl chloroformate, P. Groner.                   | 142 (1990) 173 |
| C.L. Tolley and J.R. Durig  | 142 (1990) 381 |
| -diatomic   |                |
| V-T and V-V rate constants for energy transfer in diatomics. An accurate analytical ap  |                |
| proximation, I.K. Dmitrieva, S.K. Pogrebnya and P.I. Porshnev   | 142 (1990) 25  |
| The $A^2\Pi - X^2\Sigma^+$ system of MgCl. Evidence for predissociation in the $A^2\Pi$ state of MgCl   |                |
| J. Rostas, N. Shafizadeh, G. Taieb, B. Bourguignon and M.G. Prisant   | 142 (1990) 97  |
| Population distribution of MgCl formed from Mg+R-Cl reactions. Determination of the dissociation energy of MgCl, N. Shafizadeh, J. Rostas, G. Taieb, B. Bourguignon and |                |
| M.G. Prisant  | 142 (1990) 111 |
| Laser photolysis at 694.3 nm of highly excited vibrational levels of $Ar_2(^3\Sigma_u^+)$ . I. Kinetic  |                |
| of $Ar_2(^3\Sigma_u^+)$ , R.G. Macdonald and F.C. Sopchyshyn  | 142 (1990) 139 |
| Laser photolysis at 694.3 nm of highly excited vibrational levels of $Ar_2(^3\Sigma_u^+)$ . II. The ki  |                |
| netics of Ar(3p <sup>5</sup> 4s) atomic states, R.G. Macdonald and F.C. Sopchyshyn  | 142 (1990) 153 |
| Lifetimes of the A <sup>1</sup> II and low-lying triplet states of CO, A. Le Floch, J. Rostas and F. Rosta  |                |
| Two-photon dissociation of sulfur dioxide at 248 and 308 nm, C.S. Effenhauser, P. Felde and J.R. Huber  | 142 (1990) 311 |
| Memory effects on the rotational relaxation of diatomic polar molecules in non-polar lic  | ,              |
| uids, S. Velasco, J.A. White and A. Calvo Hernández   | 142 (1990) 361 |
| Excitation of $O_2(a^1\Delta_g, b^1\Sigma_g^+)$ and $I(^2P_{1/2})$ by energy transfer from $I_2(A, A'^3\Pi_{1,2u})$ in soli   | d              |
| rare gases, R. Böhling, A.C. Becker, B.F. Minaev, K. Seranski and U. Schurath   | 142 (1990) 445 |
| -small polyatomics  |                |
| Population distribution of MgCl formed from Mg+R-Cl reactions. Determination of the   | e              |
| dissociation energy of MgCl, N. Shafizadeh, J. Rostas, G. Taieb, B. Bourguignon an  |                |
| M.G. Prisant  | 142 (1990) 111 |

| High electric field effects on the acrylonitrile molecule: an ab initio study, M. Raynaud, C. Reynaud, Y. Ellinger, G. Hennico and J. Delhalle  | 142 (1990) 191 |
|---|----------------|
| The first overtone of CH stretchings in polymethylene chains: a conformationally dependent spectrum, L. Ricard-Lespade, G. Longhi and S. Abbate  A photoelectron study of the inner valence molecular orbitals of N <sub>2</sub> O, D.M.P. Holland,                                 | 142 (1990) 245 |
| M.A. MacDonald and M.A. Hayes  Two-photon dissociation of sulfur dioxide at 248 and 308 nm, C.S. Effenhauser, P. Felder   | 142 (1990) 291 |
| and J.R. Huber  Wave packet dynamics and phase space structure of HCN molecule, S.C. Farantos and   | 142 (1990) 311 |
| M. Founargiotakis   | 142 (1990) 345 |
| Pseudopotential MRD CI calculations of nickel-containing molecules. III. NiSiH <sub>3</sub> and NiAlH <sub>3</sub> as minimum models of metal-support systems, H. Haberlandt and G. Pacchioni A microwave and ab initio structure determination of methyl chloroformate, P. Groner, | 142 (1990) 369 |
| C.L. Tolley and J.R. Durig  | 142 (1990) 381 |
| Nonlinear normal-mode-scattering-mode transformation, H. Kupka, M.D. Girardeau, C.I. Ivanov and O.E. Polansky   | 142 (1990) 403 |
| Inner shell spectroscopy of the carbon-sulfur bond, C. Dezarnaud, M. Tronc and A.P. Hitchcock   | 142 (1990) 455 |
| -aromatics  |                |
| Temperature dependence of the enhancement factor of CIDNP created by the photolysis of benzoyl peroxide, S. Takahashi, M. Terazima and T. Azumi   | 142 (1990) 69  |
| Evidence for the breakdown of the point multipole approximation from far-infrared stud-   | 142 (1990) 09  |
| ies on liquid fluorinated benzenes, N. Del Campo, M. Besnard and J. Yarwood   | 142 (1990) 91  |
| Absorption and emission spectroscopic investigation of cyanovinyldiethylaniline dye va-   |                |
| pors, A.V. Deshpande, A. Beidoun, A. Penzkofer and G. Wagenblast  | 142 (1990) 123 |
| Rotational band contours from non-equilibrium energy distributions: application to chlo-<br>robenzene and chlorobenzene cation, J.E. Parkin, F. Morlet-Savary and I. Dimicoli   | 142 (1990) 213 |
| Rotational band contour analysis in the $\widetilde{B} \leftarrow \widetilde{X}$ system of chlorobenzene cation prepared by resonance enhanced multiphoton ionization, F. Morlet-Savary, C. Cossart-Magos,  | 142 (1990) 213 |
| I. Dimicoli, J. Le Calvé, M. Mons and F. Piuzzi   | 142 (1990) 219 |
| Determination of the deuteron quadrupole coupling tensor in the photo-excited triplet state of dibromobenzophenone by electron spin echo envelope modulation, T. Prisner and  |                |
| K.P. Dinse  | 142 (1990) 413 |
| Accumulation of DODCI P isomers by laser excitation, W. Bäumler and A. Penzkofer  | 142 (1990) 431 |
| -other large  |                |
| Studies of excited-state absorption and photoisomerization of cyanine dyes by using laser-  |                |
| induced anharmonic thermal gratings, X.R. Zhu and J.M. Harris   | 142 (1990) 301 |
| -polymeric and biological   |                |
| Sudden polarization in interacting model $\pi$ systems: an exact study, S. Ramasesha and  |                |
| I.D.L. Albert   | 142 (1990) 395 |
| Molecular aggregates  |                |
| Magnetic field effect on the recombination of the triplet radical ion pair state of the semirigid Zn-porphyrin-viologen dyad, P.P. Levin, E.E. Batova and V.Ya. Shafirovich   | 142 (1990) 279 |

| A structural jellium model of cluster electronic structure, Z. Lin, T. Slee and D.M.P. Mingos   | 142 (1990) 321 |
|---|----------------|
| -van der Waals molecules  |                |
| An improved potential for Xe+HCl from rainbow scattering, M. Velegrakis and H.J. Loesch XC and HFD-B potential energy curves for Xe-Xe and related physical properties,                       | 142 (1990) 133 |
| A.K. Dham, W.J. Meath, A.R. Allnatt, R.A. Aziz and M.J. Slaman  | 142 (1990) 173 |
| -clusters   |                |
| A structural jellium model of cluster electronic structure, Z. Lin, T. Slee and D.M.P. Mingos Pseudopotential MRD CI calculations of nickel-containing molecules. III. NiSiH <sub>3</sub> and | 142 (1990) 321 |
| NiAlH <sub>3</sub> as minimum models of metal-support systems, H. Haberlandt and G. Pacchioni   | 142 (1990) 369 |
| Free radicals (including hydronium and muonium)   |                |
| Temperature dependence of the enhancement factor of CIDNP created by the photolysis   |                |
| of benzoyl peroxide, S. Takahashi, M. Terazima and T. Azumi   | 142 (1990) 69  |
| Medium influence on the mechanism of the photoreaction of anthraquinone with tri-   |                |
| ethylamine, Yu.P. Tsentalovich, E.G. Bagryanskaya, Yu.A. Grishin, A.A. Obynochny,   |                |
| R.Z. Sagdeev and HK. Roth   | 142 (1990) 75  |
| The $A^2\Pi - X^2\Sigma^+$ system of MgCl. Evidence for predissociation in the $A^2\Pi$ state of MgCl,  |                |
| J. Rostas, N. Shafizadeh, G. Taieb, B. Bourguignon and M.G. Prisant   | 142 (1990) 97  |
| Structure and intramolecular motion of muonium-substituted cyclohexadienyl radicals,  |                |
| D. Yu, P.W. Percival, JC. Brodovitch, SK. Leung, R.F. Kiefl, K. Venkateswaran and   |                |
| S.F.J. Cox  | 142 (1990) 229 |
| Defects and impurities  |                |
| Electron transfer in media with local fluctuations, A.I. Karasevskii, D.V. Matjushov and  |                |
| A.V. Gorodyskii   | 142 (1990) 1   |
| Excitation of $O_2(a^1\Delta_g, b^1\Sigma_g^+)$ and $I(^2P_{1/2})$ by energy transfer from $I_2(A, A'^3\Pi_{1,2u})$ in solid  |                |
| rare gases, R. Böhling, A.C. Becker, B.F. Minaev, K. Seranski and U. Schurath   | 142 (1990) 445 |
| Ions and charge carriers  |                |
| Molecular dynamics study of the primitive model of 1-3 electrolyte solutions, SH. Suh,  |                |
| L. Mier-y-Teran, H.S. White and H.T. Davis  | 142 (1990) 203 |
| PHENOMENA   |                |
| Molecular structure   |                |
| An improved potential for Xe+HCl from rainbow scattering, M. Velegrakis and H.J. Loesch   | 142 (1990) 133 |
| The first overtone of CH stretchings in polymethylene chains: a conformationally depen-   | ,              |
| dent spectrum, L. Ricard-Lespade, G. Longhi and S. Abbate   | 142 (1990) 245 |
| Lifetimes of the A <sup>1</sup> Π and low-lying triplet states of CO, A. Le Floch, J. Rostas and F. Rostas  | 142 (1990) 261 |
| A structural jellium model of cluster electronic structure, Z. Lin, T. Slee and D.M.P. Mingos   | 142 (1990) 321 |
| Liquid crystals of bowl-like molecules, L. Wang, Z. Sun, X. Pei and Y. Zhu<br>A microwave and ab initio structure determination of methyl chloroformate, P. Groner,                           | 142 (1990) 335 |
|   | 142 (1990) 381 |
| C.L. Tolley and J.R. Durig  | 144 (1770) 301 |

| Vibrations and rotations of molecules  |                |
|--|----------------|
| V-T and V-V rate constants for energy transfer in diatomics. An accurate analytical ap-  |                |
| proximation, I.K. Dmitrieva, S.K. Pogrebnya and P.I. Porshnev  | 142 (1990) 25  |
| Rotational band contours from non-equilibrium energy distributions: application to chlo-   |                |
| robenzene and chlorobenzene cation, J.E. Parkin, F. Morlet-Savary and I. Dimicoli  | 142 (1990) 213 |
| Rotational band contour analysis in the $\widetilde{B} \leftarrow \widetilde{X}$ system of chlorobenzene cation prepared by  |                |
| resonance enhanced multiphoton ionization, F. Morlet-Savary, C. Cossart-Magos,   | 142 (1000) 010 |
| I. Dimicoli, J. Le Calvé, M. Mons and F. Piuzzi<br>Structure and intramolecular motion of muonium-substituted cyclohexadienyl radicals,  | 142 (1990) 219 |
| D. Yu, P.W. Percival, JC. Brodovitch, SK. Leung, R.F. Kiefl, K. Venkateswaran and  |                |
| S.F.J. Cox   | 142 (1990) 229 |
| Wave packet dynamics and phase space structure of HCN molecule, S.C. Farantos and  | 142 (1770) 227 |
| M. Founargiotakis  | 142 (1990) 345 |
| A microwave and ab initio structure determination of methyl chloroformate, P. Groner,  | (,             |
| C.L. Tolley and J.R. Durig   | 142 (1990) 381 |
|  | , , ,          |
| Electronic structure and states  |                |
| The $A^2\Pi - X^2\Sigma^+$ system of MgCl. Evidence for predissociation in the $A^2\Pi$ state of MgCl,   |                |
| J. Rostas, N. Shafizadeh, G. Taieb, B. Bourguignon and M.G. Prisant  | 142 (1990) 97  |
| High electric field effects on the acrylonitrile molecule: an ab initio study, M. Raynaud,   |                |
| C. Reynaud, Y. Ellinger, G. Hennico and J. Delhalle  | 142 (1990) 191 |
| <sup>1</sup> H- <sup>14</sup> N and <sup>1</sup> H- <sup>17</sup> O nuclear quadrupole resonance in thermochromic N-5-chlorosalicylideneaniline, J. Seliger, V. Zagar, R. Blinc, E. Hadjoudis and F. Milia | 142 (1000) 227 |
| A photoelectron study of the inner valence molecular orbitals of $N_2O$ , D.M.P. Holland,  | 142 (1990) 237 |
| M.A. MacDonald and M.A. Hayes  | 142 (1990) 291 |
| Pseudopotential MRD CI calculations of nickel-containing molecules. III. NiSiH <sub>3</sub> and  | 142 (1770) 271 |
| NiAlH <sub>3</sub> as minimum models of metal-support systems, H. Haberlandt and G. Pacchioni  | 142 (1990) 369 |
| Sudden polarization in interacting model $\pi$ systems: an exact study, S. Ramasesha and   | ()             |
| I.D.L. Albert  | 142 (1990) 395 |
| Inner shell spectroscopy of the carbon-sulfur bond, C. Dezarnaud, M. Tronc and   |                |
| A.P. Hitchcock   | 142 (1990) 455 |
|  |                |
| Electric and magnetic properties   |                |
| Temperature dependence of the enhancement factor of CIDNP created by the photolysis  | 142 (1000) (0  |
| of benzoyl peroxide, S. Takahashi, M. Terazima and T. Azumi  | 142 (1990) 69  |
| Molecular interactions   |                |
| On the interaction potentials for the electronic energy transfer reactions   |                |
| $Xe(^{3}P_{0,2}) + N_{2}(X) \rightarrow Xe(^{1}S_{0}) + N_{2}(B^{3}\Pi_{8})$ , V. Aquilanti, R. Candori, F. Pirani,  |                |
| T. Krümpelmann and Ch. Ottinger  | 142 (1990) 47  |
| An improved potential for Xe+HCl from rainbow scattering, M. Velegrakis and H.J. Loesch  | 142 (1990) 133 |
| XC and HFD-B potential energy curves for Xe-Xe and related physical properties,  |                |
| A.K. Dham, W.J. Meath, A.R. Allnatt, R.A. Aziz and M.J. Slaman   | 142 (1990) 173 |
| A photoelectron study of the inner valence molecular orbitals of N <sub>2</sub> O, D.M.P. Holland,   |                |
| M.A. MacDonald and M.A. Hayes  | 142 (1990) 291 |
| Determination of a complete dielectric tensor of polymerizable $pTS$ diacetylene,  | 142 (1000) 405 |
| M.E. Orczyk  | 142 (1990) 485 |

| Spectral bandshapes and intensities  |              |     |
|--|--------------|-----|
| Theoretical contribution to radiative and non-radiative singlet-state deactivations of bi-   |              |     |
| phenylene, K. Gustav and M. Storch   | 142 (1990)   | 17  |
| Evidence for the breakdown of the point multipole approximation from far-infrared stud-  |              | 0.1 |
| ies on liquid fluorinated benzenes, N. Del Campo, M. Besnard and J. Yarwood  | 142 (1990)   | 91  |
| Effect of temperature on the infrared band shapes and reorientational and vibrational re-<br>laxation of liquid acetonitrile, A. Sugitani, S. Ikawa and S. Konaka  | 142 (1990) 4 | 123 |
|  |              |     |
| Coupling of electronic and nuclear motion  |              |     |
| Theoretical contribution to radiative and non-radiative singlet-state deactivations of bi-<br>phenylene, K. Gustav and M. Storch   | 142 (1990)   | 17  |
| Determination of the deuteron quadrupole coupling tensor in the photo-excited triplet state  | 142 (1770)   | 17  |
| of dibromobenzophenone by electron spin echo envelope modulation, T. Prisner and   |              |     |
| K.P. Dinse   | 142 (1990) 4 | 413 |
| Energy transfer processes  |              |     |
| V-T and V-V rate constants for energy transfer in diatomics. An accurate analytical ap-  |              |     |
| proximation, I.K. Dmitrieva, S.K. Pogrebnya and P.I. Porshnev  | 142 (1990)   | 25  |
| On the interaction potentials for the electronic energy transfer reactions   |              |     |
| $Xe(^{3}P_{0,2})+N_{2}(X)\rightarrow Xe(^{1}S_{0})+N_{2}(B^{3}\Pi_{g})$ , V. Aquilanti, R. Candori, F. Pirani, T. Krümpelmann and Ch. Ottinger   | 142 (1990)   | 47  |
| Quenching of the luminescence of organic compounds by oxygen in glassy matrices,   | 142 (1990)   | 4/  |
| S.V. Camyshan, N.P. Gritsan, V.V. Korolev and N.M. Bazhin  | 142 (1990)   | 59  |
| Time-resolved optical emission and EPR of the diphenylacetylene tetracyanobenzene crys-  | ,            |     |
| tal doped with t-stilbene, C. Corvaja, B. Kozankiewicz, L. Montanari and J. Prochorow  | 142 (1990)   | 83  |
| Memory effects on the rotational relaxation of diatomic polar molecules in non-polar liq-  |              |     |
| uids, S. Velasco, J.A. White and A. Calvo Hernández  | 142 (1990)   | 361 |
| Excitation of $O_2(a^1\Delta_g, b^1\Sigma_g^+)$ and $I(^2P_{1/2})$ by energy transfer from $I_2(A, A'^3\Pi_{1,2u})$ in solid rare gases, R. Böhling, A.C. Becker, B.F. Minaev, K. Seranski and U. Schurath | 142 (1990)   | 115 |
| rate gases, R. Boilling, A.C. Becker, B.F. Minaev, R. Seranski and O. Schurath   | 142 (1990)   | 443 |
| Molecular photophysical processes  |              |     |
| Magnetic field effect on the recombination of the triplet radical ion pair state of the se-  | 142 (1000)   | 270 |
| mirigid Zn-porphyrin-viologen dyad, P.P. Levin, E.E. Batova and V.Ya. Shafirovich  | 142 (1990)   | 219 |
| Studies of excited-state absorption and photoisomerization of cyanine dyes by using laser-<br>induced anharmonic thermal gratings, X.R. Zhu and J.M. Harris  | 142 (1990)   | 301 |
| Determination of the deuteron quadrupole coupling tensor in the photo-excited triplet state  | 142 (1990)   | 301 |
| of dibromobenzophenone by electron spin echo envelope modulation, T. Prisner and   |              |     |
| K.P. Dinse   | 142 (1990)   | 413 |
| Intramolecular dynamics  |              |     |
| The $A^2\Pi - X^2\Sigma^+$ system of MgCl. Evidence for predissociation in the $A^2\Pi$ state of MgCl,   |              |     |
| J. Rostas, N. Shafizadeh, G. Taieb, B. Bourguignon and M.G. Prisant  | 142 (1990)   | 97  |
| Wave packet dynamics and phase space structure of HCN molecule, S.C. Farantos and  | 1.42 (1000)  | 245 |
| M. Founargiotakis  | 142 (1990)   |     |
| Accumulation of DODCI P isomers by laser excitation, W. Bäumler and A. Penzkofer   | 142 (1990)   | 431 |
| -radiationless transitions   |              |     |
| Electron transfer in media with local fluctuations, A.I. Karasevskii, D.V. Matjushov and   |              |     |
| A.V. Gorodyskii  | 142 (1990)   | 1   |

| Theoretical contribution to radiative and non-radiative singlet-state deactivations of bi-<br>phenylene, K. Gustav and M. Storch   | 142 (1990) 17                           |
|--|---|
| Population distribution of MgCl formed from Mg+R-Cl reactions. Determination of the dissociation energy of MgCl, N. Shafizadeh, J. Rostas, G. Taieb, B. Bourguignon and                            | ( , , , , , , , , , , , , , , , , , , , |
| M.G. Prisant   | 142 (1990) 111                          |
| Nonlinear normal-mode-scattering-mode transformation, H. Kupka, M.D. Girardeau, C.I. Ivanov and O.E. Polansky  | 142 (1990) 403                          |
| -vibrational energy redistribution (including vibrational dissociation)  |   |
| Wave packet dynamics and phase space structure of HCN molecule, S.C. Farantos and  | 142 (1000) 245                          |
| M. Founargiotakis  | 142 (1990) 345                          |
| Luminescence spectra, yields and lifetimes   |   |
| Theoretical contribution to radiative and non-radiative singlet-state deactivations of bi-   | 142 (1000) 17                           |
| phenylene, K. Gustav and M. Storch On the interaction potentials for the electronic energy transfer reactions  | 142 (1990) 17                           |
| $Xe(^{3}P_{0,2})+N_{2}(X)\rightarrow Xe(^{1}S_{0})+N_{2}(B^{3}\Pi_{B})$ , V. Aquilanti, R. Candori, F. Pirani,   |   |
| T. Krümpelmann and Ch. Ottinger  | 142 (1990) 47                           |
| Quenching of the luminescence of organic compounds by oxygen in glassy matrices, S.V. Camyshan, N.P. Gritsan, V.V. Korolev and N.M. Bazhin   | 142 (1990) 59                           |
| Absorption and emission spectroscopic investigation of cyanovinyldiethylaniline dye va-  | 142 (1990) 39                           |
| pors, A.V. Deshpande, A. Beidoun, A. Penzkofer and G. Wagenblast   | 142 (1990) 123                          |
| Lifetimes of the A <sup>1</sup> Π and low-lying triplet states of CO, A. Le Floch, J. Rostas and F. Rostas   | 142 (1990) 261                          |
| Non-linear responses (including optical)   |   |
| Studies of excited-state absorption and photoisomerization of cyanine dyes by using laser-   |   |
| induced anharmonic thermal gratings, X.R. Zhu and J.M. Harris<br>Breakdown of the Landau theory in isotropic nematogens as observed by the nonlinear   | 142 (1990) 301                          |
| dielectric effect method, W. Pyżuk   | 142 (1990) 495                          |
| Multiphoton phenomena  |   |
| Rotational band contours from non-equilibrium energy distributions: application to chlo-   |   |
| robenzene and chlorobenzene cation, J.E. Parkin, F. Morlet-Savary and I. Dimicoli<br>Two-photon dissociation of sulfur dioxide at 248 and 308 nm, C.S. Effenhauser, P. Felder                      | 142 (1990) 213                          |
| and J.R. Huber   | 142 (1990) 311                          |
| A kinetic study of infrared multiple photon absorption in SF <sub>6</sub> during a TEA CO <sub>2</sub> laser pulse,  |   |
| M. Lenzi, E. Molinari, G. Piciacchia, V. Sessa and M.L. Terranova  | 142 (1990) 463                          |
| A kinetic study of infrared multiple photon absorption in SF <sub>6</sub> -noble gas mixtures during a TEA CO <sub>2</sub> laser pulse. Evaluation of V-T relaxation rates, M. Lenzi, E. Molinari, |   |
| G. Piciacchia, V. Sessa and M.L. Terranova   | 142 (1990) 473                          |
| Reactions (including dissociation)   |   |
| Temperature dependence of the enhancement factor of CIDNP created by the photolysis of benzoyl peroxide, S. Takahashi, M. Terazima and T. Azumi  | 142 (1990) 69                           |
| -gas phase   |   |
| Population distribution of MgCl formed from Mg+R-Cl reactions. Determination of the  |   |
| dissociation energy of MgCl, N. Shafizadeh, J. Rostas, G. Taieb, B. Bourguignon and M.G. Prisant   | 142 (1990) 111                          |
| A-21-0-1-2-00411   | ()                                      |

| Laser photolysis at 694.3 nm of highly excited vibrational levels of $Ar_2(^3\Sigma_u^+)$ . I. Kinetics of $Ar_2(^3\Sigma_u^+)$ , R.G. Macdonald and F.C. Sopchyshyn                          | 142 (1990) 139 | 9  |
|---|----------------|----|
| Laser photolysis at 694.3 nm of highly excited vibrational levels of $Ar_2(^3\Sigma_u^+)$ . II. The kinetics of $Ar(3p^54s)$ atomic states, R.G. Macdonald and F.C. Sopchyshyn                | 142 (1990) 153 | 3  |
|   |                |    |
| -photochemical  |                |    |
| Medium influence on the mechanism of the photoreaction of anthraquinone with triethylamine, Yu.P. Tsentalovich, E.G. Bagryanskaya, Yu.A. Grishin, A.A. Obynochny, B.Z. Saedesv and H. K. Both | 142 (1990) 7:  | 5  |
| R.Z. Sagdeev and HK. Roth Two-photon dissociation of sulfur dioxide at 248 and 308 nm, C.S. Effenhauser, P. Felder  | 142 (1990) 7.  | ,  |
| and J.R. Huber  | 142 (1990) 31  | 1  |
| Sudden polarization in interacting model $\pi$ systems: an exact study, S. Ramasesha and  | 142 (1770) 31  | •  |
| I.D.L. Albert   | 142 (1990) 39  | 5  |
| Electron transfer   |                |    |
| Electron transfer in media with local fluctuations, A.I. Karasevskii, D.V. Matjushov and  |                |    |
| A.V. Gorodyskii   | 142 (1990)     | 1  |
| Populations of the excited states and the radical transients produced in the electron trans-  |                |    |
| fer reactions in liquid solutions, J. Najbar and A.M. Turek   | 142 (1990) 3:  | 5  |
| Magnetic field effect on the recombination of the triplet radical ion pair state of the se-   |                |    |
| mirigid Zn-porphyrin-viologen dyad, P.P. Levin, E.E. Batova and V.Ya. Shafirovich   | 142 (1990) 279 | 9  |
| Ionization (including Rydberg states)   |                |    |
| Rotational band contours from non-equilibrium energy distributions: application to chlo-  |                |    |
| robenzene and chlorobenzene cation, J.E. Parkin, F. Morlet-Savary and I. Dimicoli   | 142 (1990) 21: | 3  |
| Rotational band contour analysis in the $\tilde{B} \leftarrow \tilde{X}$ system of chlorobenzene cation prepared by   |                |    |
| resonance enhanced multiphoton ionization, F. Morlet-Savary, C. Cossart-Magos,  |                |    |
| I. Dimicoli, J. Le Calvé, M. Mons and F. Piuzzi   | 142 (1990) 21  | 9  |
| Molecular motion (including diffusive)  |                |    |
| Effect of temperature on the infrared band shapes and reorientational and vibrational re-   |                |    |
| laxation of liquid acetonitrile, A. Sugitani, S. Ikawa and S. Konaka  | 142 (1990) 42  | 3  |
| Isotopic effects  |                |    |
| Structure and intramolecular motion of muonium-substituted cyclohexadienyl radicals,  |                |    |
| D. Yu, P.W. Percival, JC. Brodovitch, SK. Leung, R.F. Kiefl, K. Venkateswaran and   |                |    |
| S.F.J. Cox  | 142 (1990) 22  | 9  |
| Fluctuations and noise  |                |    |
| Electron transfer in media with local fluctuations, A.I. Karasevskii, D.V. Matjushov and A.V. Gorodyskii  | 142 (1990)     | 1  |
| Collective motion and excitations   |                |    |
| Evidence for the breakdown of the point multipole approximation from far-infrared stud-   |                |    |
| ies on liquid fluorinated benzenes, N. Del Campo, M. Besnard and J. Yarwood   | 142 (1990) 9   | 1  |
| Thermodynamic and transport properties  |                |    |
| Molecular dynamics study of the primitive model of 1-3 electrolyte solutions, SH. Suh,  |                |    |
| L. Mier-y-Teran, H.S. White and H.T. Davis  | 142 (1990) 20  | 13 |
|   |                |    |

### Critical phenomena

Breakdown of the Landau theory in isotropic nematogens as observed by the nonlinear dielectric effect method, W. Pyżuk

142 (19

142 (1990) 495

### Phase transitions

Liquid crystals of bowl-like molecules, L. Wang, Z. Sun, X. Pei and Y. Zhu

142 (1990) 335

Determination of a complete dielectric tensor of polymerizable pTS diacetylene,

M.E. Orczyk 142 (1990) 485